



FUTURE S&T(SHEN ZHEN)CO.,LCD
 TEL: +86-755-29675886, FAX: +86-755-29675495

DESIGNED BY: *Wang*
CF00116T-11

CHECKED BY: 
 VERSION: 1.0
 NO. 1 OF 4
 UNIT: MM
 DATE: 2005-07-16



NOTES:

1. DISPLAY TYPE: FSTN
2. LCD OPERATING VOLTAGE: 6.0V
3. OPERATING TEMPERATURE: $0^{\circ}\text{C} \sim 50^{\circ}\text{C}$
4. STORAGE TEMPERATURE: $-10^{\circ}\text{C} \sim 60^{\circ}\text{C}$
5. DRIVE MODE: 1/32D, 1/7B
6. VIEWING DIRECTION: 6:00
7. POLARIZER TYPE: TRANSPARENT, POSITIVE
8. CONNECTOR: FPC(C:ST7549)
9. CUSTOMER NO:

reason

COM33

SEG3


SEG98

COM41

COM16

COM5

COM32



VO VO SS UT
 VD DD 1 DD 2 DD 3 DD 4 DD 5 DD 6 DD 7 A / R / C R VD
 VD SS 1 DD 2 DD 3 DD 4 DD 5 DD 6 DD 7 A / R / C R VD
 VD SS 1 DD 2 DD 3 DD 4 DD 5 DD 6 DD 7 A / R / C R VD



FUTURE S&T(SHEN ZHEN)CO.,LCD
 TEL: +86-755-29675886, FAX: +86-755-29675495

DESIGNED BY:


Mary

CF00116T-11

VERSION: 1.0


NO. 4 OF 4

CHECKED BY:



UNIT: MM

DATE: 2005-07-16



FUTURE S&T(SHEN ZHEN)CO.,LCD
TEL: +86-755-29675886, FAX: +86-755-29675495

DESIGNED BY:


Mary

CF00116T-11

VERSION: 1.0

NO. 3 OF 4


CHECKED BY:



UNIT: MM



DATE: 2005-07-16

COMMON




FUTURE S&T(SHEN ZHEN)CO.,LCD
 TEL: +86-755-29675886, FAX: +86-755-29675495

DESIGNED BY: *Mary*
CF00116T-11

CHECKED BY:  
 VERSION: 1.0
 NO. 2 OF 4
 UNIT: MM
 DATE: 2005-07-16

SEGMENT